



Healthy food choices



Melanomas



Atrial Fibrillation



Cataracts

Online Appointment Bookings

You can now book appointments online 24/7. Go to our website: jpmedical.com.au and follow the links to book your appointment.



● PRACTICE DOCTORS

Dr Peter Beaton

Dr Rhona Marques

Dr Nnaemeka (Nemy) Ezeorakwe

Dr Yara Mohamed

Dr Venugopala Reddy

Dr Jia Goh (Registrar)

We provide a comprehensive family medical service – quality care in a friendly, relaxed atmosphere.

● PRACTICE MANAGER

Toni

● PRACTICE NURSE

Dorothy & Elmarie

● ADMINISTRATION STAFF

Claire, Sarah, Bryana, Breeana, Danielle & Jacki

● SURGERY HOURS

Monday to Friday - 9am – 5pm

Saturday - Closed

● AFTER HOURS & EMERGENCY

For medical emergencies dial **000**.

For urgent after hours care go to the Narrogin Hospital or phone **9881 0333** where a Dr is on call.

● OTHER SERVICES OFFERED

- Cardiographs
 - Vaccinations
 - Spirometry
 - Mental Health Care Plans
 - GP Management Plans
 - 45 to 49 Health Assessments
 - 75+ Health Assessments
 - Assessment and Management of Diabetes
 - Registration for Closing the Gap
 - Skin Checks
 - Cervical Screen
 - Asthma action plans
- ▶ **Please see the Rear Cover for more practice information.**

● SPECIAL PRACTICE NOTES

Facility Fees. Please speak to Reception or your Doctor before agreeing to a procedure at JPMC. The charge covers the cost of consumables used for the procedure at the practice.

It is important that you make sure you are aware of any out of pocket expenses before they are incurred.

Referrals. Doctors in our surgery are competent at handling all common health problems. When necessary, they are able to draw opinion from Specialists, and if need be, refer you for further investigation. Please note: all initial referrals will require a consultation with the doctor. **Any lost referrals or follow up referrals will incur a charge, please ask at reception for information.**

Test Results. If the Doctor needs to convey your results, you will be contacted to make a follow up appointment.

Repeat Prescriptions. To order a repeat prescription a charge is applicable, please speak to our reception for further information.

This Medical Centre is Telehealth enabled.

This practice has a no smoking policy.

● APPOINTMENTS

Consultation is by appointment.

Booking a long appointment. If you require an insurance, employment or driving medical, review of a complex health problem, counselling for emotional difficulties, or a second opinion, please book a longer appointment. This may involve a longer wait but your problem will get the attention it deserves. Please bring relevant letters and test results from other doctors.

Please notify us if you are unable to attend an appointment, well in advance.

● WAITING TIMES

There is currently a shortage of Doctors in WA. This means all Doctors that are available are stretched to the limit. There are times our Doctors' appointments will be running behind schedule. The Doctor may have been called out, or may have had some unexpectedly long consults. We acknowledge that this is annoying for patients waiting, however it is beyond the Doctor's or the Receptionists' control. Patients being rude, angry or aggressive regarding such delays will not be tolerated. Being angry at the staff won't expedite your appointment, it just causes them additional mental distress and slows the process further. Some tips to reduce the stress of waiting:

- Phone the Clinic in advance to see if your Doctor is running on time.
- Bring a phone, tablet, book, puzzle, podcast or similar to keep yourself occupied.

● BILLING ARRANGEMENTS

Accounts must be paid on the day. Those patients with Concession cards and children under the age of 16 are eligible to be bulk billed at the discretion of the Dr.

Payment can be made by cash, cheque, credit card, EFTPOS or direct debit. Direct debit details: **BSB: 086-852 Acct: 83 912 2652** and a notation saying that a remittance notice with the account holder name and invoice number is to be emailed to: practicemanager@jpmedical.com.au. Please put your invoice number in the Payee description when paying by online banking.

● MATERNITY LEAVE


We would like to send our best wishes to Danielle as she is going on Maternity Leave

YOUR NEXT APPOINTMENT:

ENJOY THIS FREE NEWSLETTER

Please remember that decisions about medical care should be made in consultation with your health care provider so discuss with your doctor before acting on any of the information.

www.healthnews.net.au





Healthy food choices for school-aged children

One in four Australian children are overweight or obese. There are two main drivers of this. Firstly, is the tendency for children to snack on high-calorie foods and drinks. Second is the replacement of physical activity with time on the computer or other electronic devices. We can't turn back time, but it is not all bad news. There is much you can do as a parent or guardian to help a child who is battling with weight issues.

Back to school means thinking about lunchboxes. It is fine to have a sweet treat in the lunchbox some days, but there are many healthy snack options too. Sticks of carrot or celery can be a snack. Fruit in season is a great snack. Even with snack bars, you can select those with natural ingredients, whole grains and less sugar by reading the labels. Read the labels on cracker biscuits, too. Some are high in fats and sugar, whilst others (like rice crackers) are not. A mix of seeds, nuts (watch for allergies), and dried fruit is another simple snack, as are cheese sticks or popcorn. Substitute sweet drinks with water. Eliminating liquid calories can cut down calorie intake without leaving a child hungry. Have soft drinks only on special occasions or no more than once a week. Rather than fruit juice, give your child a piece of fruit and a glass of water. This provides them with more fibre and fewer calories.



Avoid Listeria in pregnancy

Listeria is an infection caused by a common bacterium. It occurs in the soil and water. Thus, plants and marine life can be infected with the bacteria, as well as animals that eat plants. There are around 65 cases in Australia each year, and 10% of these are in pregnant women who are at greatest risk in the third trimester.

Listeriosis increases the risk of stillbirth, low birth weight and premature labour. Symptoms can be mild or severe, with fever, headaches, vomiting, and diarrhoea.

Whilst uncommon, it is important to take steps to avoid potential exposure to Listeria. Fortunately, this is not difficult and involves not eating "high-risk" foods whilst pregnant. Foods to avoid are processed deli poultry meats (e.g. sliced chicken), soft cheeses (brie camembert), raw seafood (e.g. oysters) pre-made sushi, unpasteurised juices and soft serve ice creams.

You can continue to enjoy plenty of foods whilst pregnant, including hard cheeses, smoked seafood, hard frozen ice cream or gelato, freshly prepared sushi, pasteurised juices and hot deli meats (cooked at over 75°C).

Maintaining a balanced diet is important when pregnant, and you may need certain supplements. Talk to your GP about any concerns you have and also about both diet and the need (if any) for supplements.

Avoiding Listeria is not difficult, and there is no need to stress over every mouthful of food you eat.



More info »

Melanomas

Australia continues to have the highest rates of melanoma in the world. That does not mean every spot on the skin is cancerous or potentially cancerous, though. Melanomas are the least common form of skin cancer but the most life-threatening. The Melanoma Institute estimated 15,229 cases in 2019 and some 1726 deaths.

There are specific characteristics which point to a spot on the skin being a melanoma, but none are absolute. An asymmetrical lesion with an uneven border and multiple colours would be a textbook melanoma. Another pointer changes over a short period, like a few weeks.

On the flip side, a spot of any colour that has been present for five years without changing at all will be relatively harmless.

With digital technology, it is possible for moles to be photographed and comparisons made after a few months to see if there is a change. When there

is enough suspicion, the mole may be biopsied and analysed in the lab for an exact diagnosis. Once again, only some spots will need this.

An annual skin check with your doctor is a good idea, as well as checking for any new or changing spots of concern. New does not always equal cancer though, which is a good thing.

The best way to avoid getting skin cancer is to take care in the sun. The message of slip, slop slap is not new but remains valid. Over summer, there is no reason not to enjoy an outdoor lifestyle, but remember to look after your skin.



Atrial Fibrillation

Our hearts beat over 100,000 times per day, and most do this in a regular fashion. The pacemaker sends an electric signal for the heart muscles to contract, pumping blood out to the body.


Arrhythmias are conditions where the heart beats irregularly. In atrial fibrillation (AF), the top two heart chambers can beat very fast, and the muscles contract in an uncoordinated way. This distorts the electrical message to the rest of the heart. In turn, the contractions of the heart become less efficient.

Typical symptoms include palpitations, shortness of breath, fluttering of the heart, dizziness and sometimes fainting. The heart beats in a fast and irregular pattern. Around 2% of people overall and 10% of those over 75 may be affected. Risk factors include high blood pressure, established heart disease, trauma to the chest and use of certain drugs, including caffeine and alcohol.

Your doctor will take a history and perform a physical examination. Diagnosis can be made with plain ECG testing, but you may be referred for a Holter monitor (a 24-hour ECG) as AF can be intermittent.

Treatment may include medication to slow the heart rate and make the heart beat regularly. You may be prescribed blood thinners too as AF increases the risk of stroke. Cardioversion (electric shock therapy) can jolt the heart out of AF and back to normal. In severe cases, surgery (ablation) is an option.

Lifestyle changes like quitting smoking, reducing alcohol and caffeine, attaining a healthy weight and regular exercise all help to prevent and manage AF.



Cataracts

This is the leading cause of blindness and vision loss worldwide. Cataracts occur when the lens of the eye goes cloudy or opaque. Around 10% of Australians have cataracts, increasing from 4% of 50-59-year-olds to over 60% of 90-year-olds.

Advancing age is the most typical reason, but trauma, radiation exposure, some drugs (like steroids), and metabolic conditions (like diabetes) can also lead to cataracts. Women are more affected than men.

Cataracts are classified by their level of maturity (progression), cause, or appearance. The symptom is a reduction in visual acuity (ability). The onset is gradual, and progression is slow but constant in most instances. If only one eye is affected, it may not be noticed for quite a while as the other eye "compensates".

A cataract is easily diagnosed on examination, and no tests are needed. When looking in the eye with an ophthalmoscope, your doctor will be able to see a cataract. It is recommended that people over 40 have a regular eye check with an ophthalmologist. Your GP can refer you.

Treatment for cataracts is surgical removal and insertion of an intra-ocular lens- done when symptoms warrant it and prescription glasses are no longer sufficient. It may be many years from diagnosis to the time of surgery.

The procedure is generally done under local anaesthetic, and recovery is quick. You will need the eye padded for a short period of time and will be prescribed drops to use post-operatively.

● **SPECIAL PRACTICE NOTES**

Communication. SMS confirmations will be sent to patients with mobile phone numbers the day before their appointment. Please indicate with a Y or N whether you will be attending.

Follow Up. A computerised reminder system is available and used for follow up of many medical conditions. If you wish to participate in this, please inform your doctor. This surgery participates in State & National registers.

Interpreter. An interpreter service can be accessed for your consultation. Please discuss this with reception prior to your appointment to arrange an interpreter.

Cultural Background Details. Please advise reception staff or your doctor of any cultural background when you arrive for your appointment.

Emergency Contact Details need to be updated on your patient files. Please see reception staff or your doctor when you arrive for your appointment.

Patient Privacy. This practice protects your personal health information to ensure it is only available to authorised staff members for the intended purposes and to comply with the Privacy Act. To obtain a copy of our Privacy Statement or your medical records, please ask.

Patient Feedback. We welcome your comments or suggestions. Please feel free to talk to your GP or the Practice Manager regarding any issues. If you prefer, you can contact The Health and Disability Services Complaints Office (HaDSCO) Free Call: 1800 813 583, E: mail@hadsco.wa.gov.au

Email Policy. We encourage our patients to call the practice for any communication as our emails are not checked regularly and are not used for medical advice, sending or receiving results and making appointments etc.



MUSELI BARS

Natural nut butters (peanut butter or almond butter) are best for this, and they are different to commercial spreads because they have no added sugar, salt, preservatives, etc. It's 100% nuts, which means better flavour and a runnier consistency. Be sure to mix well to combine before using and even microwave slightly to obtain the right consistency, add honey or maple syrup for natural sweetness.

INGREDIENTS

- Almonds – whole, roasted, unsalted and roughly chopped.
- Sultanas, raisins, cranberries or any other dried fruit of choice.
- Pepitas (they give it some colour and bite).
- Sesame seeds (optional).
- Desiccated coconut (unsweetened). Flakes will also work, but because they are larger, they won't disperse as well throughout and should be roughly chopped.

- Cinnamon – just a pinch makes all the difference.
- Salt – Just a pinch.

DIRECTIONS

1. Put the peanut butter and honey in a saucepan over low heat and mix to combine - stirring almost constantly, until thickened. Scrape the base of the saucepan, getting in around the edges.
2. Immediately pour the mixture across the surface of the oats. Use the wooden spoon to mix to combine until you can no longer see dry oats (If it gets too hard to stir, microwave for 20 seconds).
3. Place a sheet of paper over a square pan). Scrape the mixture in, then press it into the pan using a combination of a wooden spatula to spread it out, then use your hands to press it in.
4. Press firmly, but keep some air in the mixture to avoid going too chewy.
5. Refrigerate for 2 -3 hours to set, then cut into bars depending on your size preference.

WORD SEARCH

A	I	R	E	T	S	I	L	R	L	R	G	B	S
T	A	E	T	A	M	U	A	R	T	D	T	S	A
A	T	D	D	E	N	O	R	T	E	R	N	F	O
H	R	O	O	A	C	I	L	U	A	E	O	I	C
L	I	C	O	T	I	A	H	E	S	T	I	A	A
A	A	T	L	D	T	L	H	U	C	L	S	M	T
B	L	O	B	I	M	A	A	N	A	O	E	O	A
O	L	R	G	I	N	C	N	I	L	H	L	N	R
U	A	I	N	T	O	R	E	P	O	R	T	A	A
R	D	T	A	D	I	C	K	L	R	T	I	L	C
F	O	O	D	K	S	T	C	A	I	H	E	E	T
U	R	A	H	L	I	E	I	N	E	A	L	M	S
L	T	D	I	A	V	T	H	T	Y	E	A	T	R
O	B	C	L	O	O	H	C	S	E	I	N	A	E

- LISTERIA
- VISION
- DIGITAL
- CATARACT
- CHICKEN
- PLANTS
- CAUSE
- EYE
- FOOD
- TRAUMA
- DOCTOR
- BLOOD
- HOLTER
- LESION
- HEART
- MELANOMA
- ATRIAL
- SCHOOL
- LABOUR
- CALORIE